

## Caudal Block or Caudal Epidural Injection

What is it?	A caudal block is an injection performed through the caudal canal (tailbone area). A fluoroscope (x-ray machine) assists the physician in locating the collection of nerve roots thought to be inflamed and contributing to your pain.
Why is it done?	This procedure is performed on patients with low back pain or pain in the lower extremities (legs). Patients who have had back surgery and developed adhesions, or have pain that is thought to originate in the nerve roots of the spinal column, this type of block may help.
How is it done?	You will be asked to lie face down on a cushioned x-ray table. A small needle is used to inject a local anesthetic (numbing medication) into the area where the injection will be administered; this may sting for a few seconds. Next, a needle is placed in the tailbone area, and dye may be injected to confirm correct location of the needle tip with the assistance of fluoroscopy. A solution of local anesthetic and a cortisone derivative (anti-inflammatory medication) is then injected. The needle is removed and a gauze dressing will be placed.
Is there any preparation?	You may receive conscious sedation. Conscious sedation is medication given through an intravenous (IV) catheter (tube) in your arm. The medication will help you relax, but it will not put you to sleep.  If you opt to have conscious sedation, <b>DO NOT EAT OR DRINK</b> for <b>4</b> hours before your procedure. You may, however, take your medication with a small sip of water.
What to wear?	Please wear loose, comfortable clothing. Please leave all jewelry and other valuables at home.
How long does it take?	We ask that you arrive 30-45 minutes before the scheduled time of your procedure. The procedure lasts about 15 to 30 minutes, and you will be in the recovery area about 15 minutes.
What are the possible side effects of steroid medication?	Administration of steroid medication can cause side effects. They include, but not limited to: hyperglycemia (increased blood sugar), sweats, hot/cold flashes, flushing of the face, hypertension (increased blood pressure), osteoporosis, insomnia, mood swings and Cushing's Syndrome.
Risks of this procedure include, but are not limited to:	<ul> <li>Pain in the area where the needle(s) was inserted, this can last for two to three days. This can be treated by using ice and mild analgesics (pain medication) such as Motrin, Naprosyn or Tylenol.</li> <li>A reaction to the local anesthetic or dye. These reactions usually do not require further treatment.</li> <li>If you ever had an allergic reaction to contrast or anesthesia, you must tell your doctor before the procedure is done.</li> <li>Tell your doctor if taking blood thinners, have a blood disease that affects clotting, have a bowel obstruction and or have an uncontrolled infection.</li> <li>Temporary numbness or weakness in one or both legs. This is normal. You should have assistance with walking and should not drive for 24 hours. If the temporary numbness or weakness persists, please contact your doctor.</li> <li>Bleeding in the area of the injection due to damage to blood vessels.</li> <li>Infection in the area of the injection.</li> <li>Increased pain.</li> </ul>
11/05/2015 00/	* Nerve damage, diarrhea, paralysis, stroke and even death. 24/14rdsteaching sheets REVIEWED 3/2016 09-29-2020 v3

11/05/2015,02/24/14rdsteaching sheets REVIEWED 3/2016 09-29-2020 v3

## Instructions Regarding Your Procedure Caudal Epidural Nerve Block

Will I receive a pre-procedure phone call?	A nurse from our office will call you 24-48 hours prior to your procedure. She will ask you a few important medical questions, <u>AND</u> she will confirm your appointment. We must have <u>a verbal confirmation from you 24-48 hours prior to your procedure.</u> Failure to return our call could result in your procedure being rescheduled.
Where can I obtain more procedure information?	Please visit our website <u>www.nyspineandwellness.com</u> . It contains demonstrations of some of the procedures we offer. We also have other helpful information.
Can I drive home from the procedure?	You MUST have a ride home, and your driver should remain on site. You must not drive or operate heavy machinery for 24 hours.
Can I eat Breakfast? *the box with a check applies to you	Yes, you can eat a light breakfast or light lunch
	☐ No, <b>DO NOT EAT OR DRINK</b> for <b>4</b> hours before your procedure. However, you may take your medicine but only with a <b>small sip of water</b> .
Should I stop taking aspirin?	If you take ASPIRIN or products containing ASPIRIN for <u>PAIN or HEADACHES</u> , you <u>MUST STOP</u> 7 days prior to procedure. Products include but are not limited to: EXCEDRIN, FIORINAL, AND ALKA SELTZER, etc).
Can I take the aspirin prescribed for <u>cardiac</u> and or <u>stroke</u> prevention?	☐ Yes, you can continue to take your aspirin for cardiac or stroke prevention, not to exceed 325mg per day.
Can I take my blood thinner? *the box with a check applies to you	<ul> <li>☐ Our provider has advised you on the number of days to hold the blood thinner you take.</li> <li>☐ Our provider will have to contact the Doctor who has prescribed the blood thinner for you to learn how long it is safe for you to be off the medicine prior to your procedure. One of our nurses will call you when we have obtained that information.</li> </ul>
Can I take my other medications?  *the box with a check applies to you	Yes, except for <b>blood thinners.</b> Yes, only with a <b>small sip of water</b> , <b>(you must not take your blood thinner)</b>
What time is my procedure?	You will receive a phone call one or two business days prior to your procedure to remind you of the time you should arrive for your procedure (usually 30-40 minutes prior to the scheduled time) and the location. <b>PLEASE BE ON TIME.</b> *some patients may receive a call to confirm insurance information.
How long will it take?	We ask that you plan 1½ -3 hours from the time you arrive at the center to the time you are discharged. Please understand that circumstances sometimes arise that are out of our control, which cause a longer delay. Please plan accordingly.
What do I bring?	You <i>must</i> bring the following <u>each time</u> you have a procedure:  1. Your current insurance information  2. A <i>written</i> list of all your current medications <u>including the strength and frequency</u> you take them. Please include over the counter medication, vitamins and herbal supplements.
What shall I wear?	Please wear comfortable loose fitting clothing.
Can I wear jewelry?	No. Please leave all jewelry and other valuables at home. We are unable to store them safely. Any body- piercing jewelry must be completely removed, as this may interfere with the x-ray machine.
What do I do if I am ill or have to cancel?	Please call the office 24 hours in advance if you are unable to keep your appointment. (315) 552-6700. We do charge patients for no shows.